CITY OF ELKHART, INDIANA INDUSTRIAL WASTE QUESTIONNAIRE

SEC	TION A. GENERAL INFORMATION (Type or Print, Please)
1.	Company Name Teledyne Metal Forming
2.	Mailing Address P.O. Box 757, Elkhart, IN 46515-0757
3.	Address of Premises 1937 Sterling Avenue, Elkhart, IN
4.	Name and Title of Signing Official _C.W. Freel. Executive Vice Presiden
5.	Wastewater discharges to:
	City sewer system X
	Private septic system
6.	If your facility discharges to the City sewer system, check the types of discharges:
	X Sanitary Wash water X Rinse water
	X Cooling water X Process water X Scrubber water
	Other
	Note: If your facility discharges only to a private septic system and not to the City sewer system, or if only sanitary sewage is discharged to the City sewer system, it is only necessary to fill out Section A of this questionnaire. Otherwise, complete entire questionnaire.
7.	Contact Official
	NameDawood Patel
	TitleDesign Engineer
	Address P.O. Box 757, Elkhart, IN 46515-0757
	Phone Number219-295-5525
	The information contained in this questionnaire is familiar to me and to the best of my knowledge and belief, such information is true, complete, and accurate.
	12-14-83 Ca Freel
	Date Signaturé of Official C.W. Freel
	C.w. rreel

SECTION B. PRODUCT OR SERVICE INFORMATION

allov	tubing.						
diroy	coorng.					urus sucressicosis rentires ritires Ab	
	·				·····		
	1 5 16						
-		terials U					
Cold R	olled Ste	el, Hot R	Rolled St	eel, Sta	inless	Steel	s, Alumi
Bronze	, Nickle-	Alloys, a	nd Cobal	t Base A	Alloys.		
	•						
	W-1 - W-1	W		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	in the same	
atalys	ts, Inter	mediates:					
NONE							Pi-Tana - Jana - Salah Mara - Salah - Tana
							
Princip	al Produc	t or Serv				trial	Classifi
•	al Produc		ice (use 3449		d Indus	trịal	Classifi
•						trial	Classifi
•						trial	Classifi
ianual	if approp	oriate): _	3449	3.	498		
Manual Append	if approp	oriate): is questi	3449 Lonnaire	is a 1	498 ist of curren	Standa	ird Indus
Append Classif	if approped to the ication (t to USE	is questi SIC) code	3449 Lonnaire es for incatment r	is a 1 dustries	ist of curren	Standa tly or	ard Indus
Manual Append Classif subjec	if approped to the ication (to USE fyour p	oriate): is questi	3449 Lonnaire es for incatment r	is a 1 dustries	ist of curren	Standa tly or	ard Indus

					lons Avg.		JO GALLO
2.	Is there a sch	neduled sh	itdown? _	Yes			
	When? First	two weeks	of Augus	st.			······································
3.	Is production	seasonal?	No				
	If yes, explain	in indicat:	ing month	s(s) of p	eak produ	ction.	
			•				personal de la companya de la compa
4.	Average number	of employ	yees per	shift:	50 lst;	2nd;	3rd
E	Shift start t	7	•00 AM 1		2 1		2 4
.	Snift Start t	tmes:	1	Si.j	ZIIQ	•	510
6.	Shifts normal	ly worked	each day	of the we	ek:		
	Sun	Mon	Tue	Wed	Thu	Fri	Sat
	lst	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	
	2nd	~ ~~~			· 		-
	3rd					and the second second	-100g/d
			treatmen	t equipme	nt or pro	cesses in	use:
7.	Describe any	wastewater					
7.	Describe any NONE	vastewater				ng dangan a dangan a	

SECTION D. WATER CONSUMPTION AND LOSS

1. Raw Water Sources:	
<u>Source</u>	Quantity
City Water	28,984 gallons per day
	gallons per day
	gallons per day
	gallons per day
2. Water treatment processes in t	ise:
Chemical coagulation, polymers, etc.	including use of alum, ferric chloride
Lime softening	
X Resin (ion exchange)	water softening
Filtration	
Chemical (chlorine or	ozone) disinfection
X Others Boiler Water	Pretreatment
3. List Water Consumption in Plan	nt:
Cooling Water	12,066 gallons per day
Boiler Feed	635 gallons per day
Process Water	2,283 gallons per day
Sanitary System*	500 gallons per day
Contained in Product	0 gallons per day
Other (Scrubber)	13,500 gallons per day
*Sanitary flow can be estin	nated at 10 gpd per employee.

	4.	List average	e volume of discharge	or water loss	to:
		City Was	tewater Sewer	28,959	gallons per day
•		Septic Ta	ank Discharge	0	gallons per day
		Surface l	Discharge	0	gallons perday
		Waste Ha	uler	23	gallons per day *
		Evaporat	ion	0	gallons per day
		Containe	d in Product	0	gallons per day
		*Average o	ver 365 days year.		
	5.	Is Discharge	• •	Intermittent	X Steady
			•		
	6.	List average B-5 above:	ge water usage for	SIC Processes	itemized in Section
		Regulated			Average Water
		SIC No.	Brief Process De	escription	Consumption(GPD)
		3411	Water mixed with 1	ubricants	
		3446	57 F2 F7	II	22-1/2
		3449	11 11 11		<u></u>
		3498	Water used to cool used in Pickle Hou	•	2260
			tubing, scrubber		
		3544	Water mixed with 1	ubricant	1/2

SECTION E. SEWER CONNECTION AND DISCHARGE INFORMATION

Reference No.	Descriptive Location of Sewer Connection or Discharge Point	Avg. Flow (gpd)
1	445 feet south of manhole of Sterling Ave.	Not Known
2	Drains into the manhole located on Sterling	Not Knowr
	Avenue	
		Augicion <u>um</u> instrucios por exercicados
complex sh location of of monitori for sewers monitoring reference	caled drawing or dimensioned sketch of the owing location of sewer referenced in E-1 the SIC process described in Section D-5. Shing manhole, if any, and other possible sampliand SIC process effluents. Indicate how City staff can gain access to the sampling poi and field orientation buildings, streets, a nent physical structures should be included.	above and ow location ng points industrial nts. For
measure (SE ves If	quired to prepare a Spill Prevention Control a CC) Plan per 40 CFR 112 or a RCRA Contingen report has been prepared, attach copy. Copy report is required, but has not yet been	cy Plan?* attached.

*RCRA Contingency Plan in accordance with 40 CFR - Parts 264 and 265.

SECTION F. PRIORITY POLLUTANT INFORMATION

1. Please indicate by placing an "X" in the appropriate box by each listed chemical whether it is Suspected to be Absent, Known to be Absent, Suspected to be Present, or Known to be Present in your manufacturing or service activity or generated as a byproduct. Some compounds are known by other names. Please refer to Appendix A for those compounds which have an asterisk(*).

VO.	CHEMICAL COMPOUND	SUSPECTED	ABSENT	SUSPECTED PRESENT	KNOWN PRESENT	ITEM NO.	CHEMICAL COMPOUND	SUSPECTED ABSENT	KNOMN	SUSPECTED PRESENT	KNOWN
1.	ammonia		X			47.	chlorobenzene		Х	•	<u> </u>
2.	asbestos (fibrous)		Х			48.	chloroethane*	T	X		1
5.	cyanide (total)		X			49.	2-chloroethylvinyl ether		X		
						50.	chloroform"		Х		T
1.	antimony (total)		Х			51.	chloromethane*	,	X	ļ	
5.	arsenic (total)			Х		52.	2-chloronaphthalene		X	Ī	T
6.	beryllium (total)		Х			53.	2-chlorophenol*		X	i	1
	cadmium (total)				X	54.	4-chlorophenylphenyl &her		X	1	1
3.	chromium (total)		ويجبانعكوه		X	55.	chrysene*	-	X	1	1
9.	copper (total)				X	56.	4,4'-000"		v	į	1
10.	lead (total)			1	X	57.	4,4'-DDE*		X	!	1
11.	mercury (total)		م الله ا دروب	1	Х	58.	4,4'-DOT*	1	X		
12.	nickel (total)	1		!	Y	59.	dibenzo(a,h)anthracene*	1		!	1
13.	selenium (total)				X	60.	dibromochloromethane"		X	ì	
11.	silver (total)				Y	61.	1,2-dichlorobenzene*	1	X	1	+
15.	thallium (total)		X	1	,	62.	1,3-dichlorobenzene*		! X	1	Ţ
16.	zinc (total)			1	X	63.	1,4-dichloropenzene*	 	X	ì	
				-	1	64.	3,3'-dichlorobenzidine	1	l Y	1	1
1	lacenaphthene		Х	_	1	65.	dichlorodifluoromethane*	 	ÎX	†	+
13.	acenaphthylene		Y	 		66.	l,l-dichloroethane*	 	X	1	+
19.	acrolein		X	<u> </u>		67.	11,2-dichloroethane*		X	 	
20.	acrylonitrile		v	 		68.	ll, l-dichloroethene?	+	Y	Ť	
21.	aldrin		X	1	1	69.	trans-1,2-dichloroethene	P	V	<u> </u>	1
32.	anthracene		X	 	1	70.	2,4-dichlorophenol	 	X	1	†
23.	benzene		Y	 	 	71.	1,2-dichloropropane*	<u> </u>	Y	;	
24.	benzidine		X	i -	1	72.	(cis & trans)1,3-dichlo-			 	+
25.	benzo(a)anthracene*		X		-		ropropene *	}	X		-
26.	benzo(a)pyrene*		Ŷ	-	<u> </u>	73.	dieldrin		X		
37.	benzo(b)fluoranthene	 	X	+		74.	dietnyl ohthalate*	+	X	1	
28.	benzo(g,h,i)perylene*		Ŷ		<u> </u>	75.	2,4-dimethylphenol*		وسوسون	4	+-
29.	benzo(k)fluoranthene	i —	v	 		76.	dimethyl phthalate	† 	T X	-	+
30.	a-3HC (alpha)	 	X		 	77.	di-n-butyl phthalate		X	-	
31.	b-BHC (beta)	 	Ÿ		 	78.	di-n-octyl phthalate*	<u> </u>	<u> </u>		
32.	d-BHC (delta)	 	X			79.	4,6-dinitro-2-methylphenol	*1	X	1	-
33.	g-BHC*(gamma)	 	X	-		1 80.	2.4-dinitrophenol	-	T _X		مریط ند ا
34.	bis(2-chloroethyl)ether		X			31.	2,4-dinitrotoluene	_	X	-	-
33.	bis2-chloroethoxymethan	فسنحسنسي	X	-	 	82.	2,6-dinitrotoluene-	1 1	X		-
36.	bis2-chloroisopropylethe		X	+	i -	33.	1,2-diphenylhydrazine*				-
37.	bis(chloromethyl)ether*		X	-		34.	endosultan I*		X		
37. 38.			X	+	+	95.	endosulfan II*	-	+	+-	+
39.	bromodichloromethane*	 	_		 	36.	endosulfan sulfate		X X	-	-
10.	bromoform*	+	X	+	+	1 87.	lendrin	- 	100		
1 1.		 	7	-	+	188.	endrin aldehyde		X	-	
32.	4-bromophenylphenyl etter	 	X	+	-	89.		-	+ X	+	-
43.	butylbenzyl phthalate	-		+	+	90.	ethylbenzene fluoranthene	1		-	-
44.		-	X	+	-	1 90.			+ X		1 1
_	carbon tetrachloride*	-	X	+	+-	191.	fluorene"		1X	1	. ———
45. 46.	بالكاران ويرون المستنفي والإستيان والشارات والتواجعات بالمراط المستراج والمراجع		X	+	+	92.	heptachlor epoxide		X	!	

ITEM NO.	CHEMICAL COMPOUND	SUSPECTED ABSENT	KNOWN	SUSPECTED	KNOWN	ITEM NO.	CHEMICAL COMPOUND	SUSPECTED ABSENT	KNOMN	SUSPECTED	PRESENT	KNOWN
94	hexachlorobenzene*		X			112.	PCB-1248*		X			
95.	hexachlorobutadiene		X			113.	PCB-1254*		X			
96.	hexachlorocyclopenta-		Х			114.	PCB-1260*		X			
	diene*					115.	pentachlorophenol	1	X.			
97.	hexachloroethane*		X			116.	phenanthrene	1	X			
98.	indeno(1,2,3-cd)pyrene*		X			117.	phenol	T	X			
99.	isophorone*		_X			118.	pyrene		X	\Box		
100.	methylene chloride*		X			119.	2,3,7,8-tetrachlorodi-		X			
101.	naphthalene		X				benzo-p-dioxin*		X			
102.	nitrobenzene		X			120.	11,22-tetrachloroethane	1	X			
103.	2-nitrophenol*		X			121.	tetrachloroethene*		X			W- 140 S.O.
104.	4-nitrophenol*		X			122.	toluene*	1	X			
105.	n-nitrosodimethylamine*		X	<u> </u>		123.	toxaphene		X			
106.	n-nitrosodipropylamine*		X			124.	1,2,4-trichlorobenzene		X	Ì		
107.	n-nitrosodiphenylamine*		X			125.	L, L,L-trichloroethane*					X
108.	PCB-1016*		X			126.	1,1,2-trichloroethane*		X			
109.	PCB-1221*		X			127.	trichloroethene*				ويعيادون	X
110.	PC3-1232*		X			128.	trichlorofluoromethane				-	X
, 111.	PCB-1242*		X			129.	2,4,6-trichlorophenol		X			
	!			T	1	130.	vinyl chloride*	1	X	T		

2. For chemical compounds in F-2 above which are indicated to be "Known Present," please list and provide the following data for each: (attach additional sheets if needed).

ITEM NO.	CHEMICAL COMPOUND	* ANNUAL USAGE (1.BS)	ESTIMATED LOSS TO O SEWER LBS./YR.	ITEM NO.	CHEMICAL COMPOUND	ANNIAL. USAGE (LBS)	ESTINATED LOSS TO SEWER LBS./YR.
8	Chromium	*	. 0				
9	Copper	*	0			į	
10	Lead Mercury	*	0				
II	Mercury	X	0				
12	Nickel	*	0	-			<u> </u>
13	Selenium	*	0	<u> </u>		<u> </u>	
14	Silver	*	Ö	<u> </u>	i Lagrande la grande de la companya d	!	
16	Zinc		0	!	: 		
125 127	1.1.1-Trichloroethan	<u>e ()</u>	0			-	<u> </u>
14/	Trichloroethene	3300	<u> </u>	-		<u> </u>	
128	(Trichloroethylene) Trichlorotrifluro-	52 56	0	-		 	-
120	ethane	JE JU	 				
	CITATIO					 	
			\$	1			
ŗ							1

*NOTE: #7 to #14 and #16 are present as alloying or incidental elements.

Amounts of these elements varies in alloys used. Alloys used are in sheet or strip form.

3.	List any other chemicals known or anticipated to be present in the discharge.	
	Traces of Sodium Hydroxide, Nitric Acid and Hydroflouric Acid from	
	scrubber and rinse tank. Manufacturer of scrubber suggests that	
	exhausting both acid and alkali together, part of acid and alkali	
	gets neutrilized before going to the discharge.	
4.	Describe, what if any, laboratory analyses have been conducted on process waste streams in the plant, including which streams were sampled, what parameters were measured, and frequency and type of samples. (The baseline report referred to in G2 below can be referenced in answering this question.)	•
	No tests run on discharge water - However, tests run on sludges and wastes which are hauled away. All wastes tested for hazardability as by EPA per 40 CFR Part 261.11.	required
SEC	CTION G. PRETREATMENT	
1.	Is this plant subject to an existing Pretreatment Standard?	
	No	
2.	Is this plant required to submit a baseline report per 40 CFR 403.12? <u>no</u> If a baseline report has been prepared, attach a copy to this questionnaire. Copy attached. <u>If a baseline report is required, but has not yet been prepared, indicate date that it will be submitted.</u>	
3.	If subject to Federal Pretreatment Standards, are the standards being met on a consistent basis? (The baseline report can be referred to in answering this question.)	
	N/A	
	, , , , , , , , , , , , , , , , , , ,	

	N/A
	N/A
_	
_	
_	
_	
_	
_	
_	
C	Describe residuals (sludges, precipitates, etc.) that are produce or result at your facility and the methods employed to disposof the residuals. List names of waste haulers, if applicable.
	ludges from lubrication tanks on Rolling machines, degreaser,
S	
_	sickle and alkali tanks are hauled away. Sludges contain metalli
Ē	pickle and alkali tanks are hauled away. Sludges contain metalli
Ē	cickle and alkali tanks are hauled away. Sludges contain metallicelements such as zinc, lead, silver, chromium, copper, nickel, ars

